

Unpredictability in physical systems: Basin entropy and Wada basins

Miguel A.F. Sanjuan

Abstract: In nonlinear dynamics, basins of attraction are defined as the set of points that, taken as initial conditions, lead the system to a specific attractor. This notion appears in a broad range of applications where multistability is present, which is a common situation in neuroscience, economy, astronomy, ecology, and other disciplines. Nonlinear systems often give rise to fractal boundaries in phase space, hindering predictability. When a single boundary separates three or more different basins of attraction, we call them Wada basins. Usually, Wada basins have been considered even more unpredictable than fractal basins. However, this particular unpredictability has not been fully unveiled until the introduction of the concept of basin entropy. The basin entropy provides a quantitative measure of how unpredictable a basin is. With the help of several paradigmatic dynamical systems, we illustrate how to identify the ingredients that hinder the prediction of the final state. The basin entropy together with two new tests of the Wada property have been applied to some physical systems such as experiments of chaotic scattering of cold atoms, models of shadows of binary black holes, and classical and relativistic chaotic scattering associated to the Hénon-Heiles Hamiltonian system in astrophysics.

¹⁾ Miguel A.F. Sanjuan, Professor: Universidad Rey Juan Carlos, Tulipan s/n, 28933 Mostoles, Madrid, Spain (ES), miguel.sanjuan@urjc.es.